


## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L113	2	linked with component with specifications with cad with (file or hierarchy or table or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 20:46
L114	2	link\$4 with component with specifications with cad with (file or hierarchy or table or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 20:51
L115	2	link\$4 with component with specifications with cad with (file or hierarchy or table or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 20:52
L116	3	(link\$4 or stor\$4 or attach\$4 or assign\$4) with component with specifications with cad with (file or hierarchy or table or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 20:53
L117	3	(link\$4 or stor\$4 or attach\$4 or assign\$4) with component with specifications with cad same (file or hierarchy or table or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 20:53
L118	3	(link\$4 or stor\$4 or attach\$4 or assign\$4) with component with specifications same cad same (file or hierarchy or table or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 20:53
L119	3	(link\$4 or stor\$4 or attach\$4 or assign\$4) with component with specifications same cad same (file or hierarch\$4 or table or list or directory or tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 20:55
L120	19	(link\$4 or stor\$4 or attach\$4 or assign\$4) with (item or component or file) with specifications same cad same (file or hierarch\$4 or table or list or directory or tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 22:02

## EAST Search History

L121	25	(link\$4 or stor\$4 or attach\$4 or assign\$4) with (item or component or file) with specifications same cad same (file or hierarch\$4 or table or list or directory or tree or library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 21:46
L143	59	(link\$4 or stor\$4 or attach\$4 or assign\$4) with (item or component or file unit) same specifications same cad same (file or hierarch\$4 or table or list or directory or tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 22:03
L144	127	(link\$4 or stor\$4 or attach\$4 or assign\$4) with (item or component or file unit) same specifications same cad same (file or hierarch\$4 or table or list or directory or tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 22:03



Scholar All articles Recent articles Results 11 - 20 of about 423 for linked component specifications cad

[All Results](#)

[G Fedder](#)

[W Regli](#)

[G Joeris](#)

[M Rezayat](#)

[X Hu](#)

[Integration of reusable software components and frameworks into a visual software construction ... - group of 4 »](#)

DJ Chen, CS Koong, WC Chen, SK Huang, NWP van ... - J. INF. SCI. ENG, 2000 - iis.sinica.edu.tw

... Eventually, it will be linked to the main ... CONSTRUCTION PARADIGM FOR REUSABLE COMPONENTS

AND FRAMEWORKS ... representations of requirement specifications allows one ...

[Cited by 3 - Related Articles - View as HTML - Web Search](#)

[A Common Reuse Strategy for ASICs and FPGAs](#)

C Fields - INTEGRATED SYSTEM DESIGN, 2000 - eedesign.com

... reuse methodologies today are closely linked to SOC: ... Refer to the VSIA Virtual Component

Specification for more ... are the design reuse specifications, a critical ...

[Cached - Web Search - BL Direct](#)

[Test Support Strategies for MEMS - group of 2 »](#)

R Rosing, A Richardson, A Dorey, A Peyton - Proceedings of the 5 thInternational Mixed Signal Testing ..., 1999 - comp.lancs.ac.uk

... that may cause the system to fail its' specifications. ... These forces are not directly linked to one ... Reliability of systems, equipment and components", part 5 ...

[Cited by 11 - Related Articles - View as HTML - Web Search](#)

[Why XML is not suitable for semantic translation - group of 3 »](#)

G Karsai - Research note, Nashville, TN, April, 2000 - isis.vanderbilt.edu

... Model Server (IMS) and Tool Adaptors (TA) linked through a ... used an architectural framework with some components generated from high-level specifications. ...

[Cited by 7 - Related Articles - View as HTML - Web Search](#)

[Conceptual design for assembly - group of 6 »](#)

S Lombeyda, WC Regli - ASME Design Technical Conferences, Fourth Design for ..., 1999 - 130.240.31.230

... the different issues raised by the Requirement Specifications. ... Objects may be linked to each other (uni ... characteristics of each of its components, but a tag of ...

[Cited by 7 - Related Articles - View as HTML - Web Search](#)

[Implementation of Requirements Traceability in Systems Engineering Tools](#)

K Sutinen, L Almefelt, J Malmqvist - Proceedings of Product Models 2000, 2000 - ppd.chalmers.se

... the design process, so that in the early phases the requirement might be linked to a ... Its main components are: · A requirements specification/structure based ...

[Cited by 9 - Related Articles - View as HTML - Web Search](#)

[A Survey of Design Rationale Systems: Approaches, Representation, Capture and Retrieval - group of 10 »](#)

WC Regli, X Hu, M Atwood, W Sun - Engineering with Computers, 2000 - Springer

... A node represents a component, while a link ... Once the nodes are linked, design

rationale

reuse ... in the internal assumptions, constraints or **specification**, or a ...

Cited by 51 - Related Articles - Web Search - BL Direct

[The Enterprise-Web portal for life-cycle support - group of 3 »](#)

M Rezayat - Computer-Aided Design, 2000 - cadcam.yonsei.ac.kr

... to match customer requirements (**design specifications**) with characteristics ... 3.

Inter-linked VRML and HTML files give access ... wants to see all **components** in the ...

Cited by 110 - Related Articles - [View as HTML](#) - Web Search - BL Direct

[Removing clones from the code - group of 6 »](#)

R Fanta, V Rajlich - Journal of Software Maintenance Research and Practice, 1999 - doi.wiley.com

... 8-10 update items stored in a **linked list** and ... List1 and List2 and their new **components** after the ... **Specification** of class List2 after extraction of a new class ...

Cited by 16 - Related Articles - Web Search - BL Direct

[Design/construction integration: issues and illustrative prototype - group of 3 »](#)


NA Kartam - Engineering Construction and Architectural Management, 1999 - Blackwell

Synergy

... stored in an object-oriented model **linked** to the ... The generic **component** model is based

on an existing standard the Construction **Specification** Institute's CSI ...

Cited by 1 - Related Articles - Web Search - BL Direct

◀  ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google